

# Internal note



To: Country representatives  
cc: Stephan Wedi, Ralf Tillmann, Daniel Meiners, Simone Greiwe, Inna Fast

Martin Lottmann

Emsdetten, 8th July 2013

**Subject: CE-labeling wedi building board/Fundo**

Dear all,

The wedi GmbH has obtained the approval according to ETAG 022-part 3!

So wedi building boards and wedi Fundo elements are valid as of now Europe-wide as approved plate-shaped sealing material.

Since 01.07.2013, the European Construction Products Regulation is valid which shall simplify and make safer the trading with building products in the European trading zone. According to that, products that are subject to a European harmonized norm or a European technical assessment have to be marked.

By the end of 2010, there was no possibility to make an appropriate labeling for building boards and Fundo elements since there was no harmonised norm respectively approval.

Only after inclusion of plate-shaped sealing products into ETAG 022-part 3 and adoption as well as publication by the European Commission this possibility opened up.

We have passed successfully through the time-consuming and exigent testing procedure and finally got the approval from the DIBT at the end of June 2013.

The validity of this approval is obtained, however, only with the also end of June passed factory audit by a recognized testing laboratory.

In plain language, this means for wedi:


- Title of the approval: **wedi sealing system wedi building board/Fundo** (construction set with European Technical Approval (ETA) for the sealing of wet areas with waterproof boards)
- The construction set is approved with following 10 system tile adhesives:
  - o wedi 320
  - o Mapei Keraflex S1
  - o Mapei Adesilex P9

- o Schönox PFK PLUS
  - o Schönox CFK PLUS
  - o Sopros No. 1
  - o Sopro FF 450
  - o Sopros No. 1 schnell
  - o ARDEX X 77
  - o Alfix Universalfix
- Especially mentionable here is that the adhesive have been approved both for bonding the boards on the ground as well as for bonding tiles on the wedi building board!
  - The construction set contains all building board dimensions of 4-100 mm thickness, 600-1200 mm width and 1,25-2,60 m length,
  - as well as all Fundo variants with thicknesses of 20 – 50 mm
  - for sealing joints following variants are possible:
    - o Sealing of joints with wedi 610
    - o Sealing of joints with wedi Tools sealing tape together with wedi 610
  - Diffusions are sealed with wedi Tools sealing collars together with wedi 610.

### CE labeling of a construction set

The European Technical Approval requires that all products that are part of the construction set are marked with the CE label. In addition to the obligation of the CE labeling, a declaration of performance (formerly conformity declaration) has to be issued for each of these products. This must be either given to the product or be made publicly available.

Explanation:

 0799 (System 2+)	<u>Approval number of the testing institute</u>
<b>wedi GmbH</b> Hollfeldstraße 51 48282 Emsdetten  13 0799-CPD-132 DoP 0001	Address of the producer  Year of the first application of the CE labeling Certificate number of the mill test <u>unambiguous reference to the declaration of performance (obligatory)</u>
ETA-13/0385 ETAG 022 Teil 3	Approval number of DIBT <u>Naming of the European technical evaluation</u>
Bausatz mit wasserdichten Platten und weiteren Komponenten zur Herstellung einer Abdichtung unter einer Nuttschicht für die Verwendung in innen liegenden Nassbereichen Klassifizierung des Systems und deklarierte Produkt- und Systemeigenschaften siehe Anhang 1 der ETA-13/0385	Description of the system

We have lodged the DoPs (declarations of performance) on our website in the

download area.

The translation into each country language will now take place. We will keep you informed and send you the DoPs as soon as they are ready.

Competition information:

At the current, we know from Poresta and Lux elements that they also own the ETA-approval.

Within the scope of market observation, Daniel Meiners will take up the issue with CE labeling.


You receive the ETA approval as attached document.

Should you have any questions, please contact us.

Best regards

A handwritten signature in blue ink, appearing to read "M. Lottmann".

Martin Lottmann

A handwritten signature in black ink, appearing to read "Verena Wolters".

p.o. Verena Wolters

# Certificate

Standard **ISO 9001:2008**

Certificate Registr. No. 01 100 042158

TÜV Rheinland Cert GmbH certifies:

Certificate Holder:



**wedi GmbH**

Hollefeldstr. 42  
D - 48282 Emsdetten

Scope:

Development, Manufacturing, Marketing and Sales of  
Ready-to-tile Building-Components and Accessories

An audit was performed, Report No. 042158. Proof has been  
furnished that the requirements according to ISO 9001:2008  
are fulfilled.

The due date for all future audits is 30-03 (dd.mm).

Validity:

The certificate is valid from 2010-08-05 until 2013-06-30.  
First certification 2004

2010-09-17

  
TÜV Rheinland Cert GmbH  
Am Grauen Stein · 51105 Köln



DGA-ZM-58-95-00

www.tuv.com

 **TÜVRheinland®**  
Precisely Right.