



Product Service

CERTIFICATE

No. Z1 001415 0038 Rev. 00

Holder of Certificate: **GIERRE S.R.L.**
Via I Maggio 1/6
23854 Olginate (LC)
ITALY

Certification Mark:



Product: **Multi-purpose ladders
(Telescopic Hinge Joint Ladders)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES1602068A00TR

Valid until: 2025-10-20

Date, 2020-10-30

(GIANPAOLO MENSA)

CERTIFICATE

No. Z1 001415 0038 Rev. 00

Model(s):

Series 5 : AL010-2(Derivative codes: AL010H, AL010HW, 7516-151, AL010P, AL010DX); AL020-2(Derivative codes: AL020SK, AL020H, AL020HW, 7516-031, AL020P, AL020DX, AL020SKY, AL020IPS, AL020I, AL020GA, AL020DXT); AL030-2(Derivative codes: AL030P, AL030DX, AL030I); AL040-2(Derivative codes: AL040H, AL040HW, 7520-151, AL040P, AL040DX, AL040GA, AL040IPS, AL040I, AL040DXT); AL060-2(Derivative codes: AL060HW, 7524-151, 7524-157, AL060H, AL060P, AL060DX, AL060IPS, AL060HW, AL060GA.).

Series 7 : AL065; AL070; AL075.

Series 5

Product code	Derivative code	Type	Uprights section [mm]	Rung/step external section [mm]	Rung/Step internal Section [mm]	Max Load each rung/step [Kg]
AL010-2	AL010H, AL010HW, 7516-151, AL010P, AL010DX	3+3	60x22	30x30	27x27	150
AL020-2	AL020SK, AL020H, AL020HW, 7516-031, AL020P, AL020DX, AL020SKY, AL020IPS, AL020I, AL020GA, AL020DXT	4+4	60x22	30x30	27x27	150
AL030-2	AL030P, AL030DX, AL030I	4+5	60x22	30x30	27x27	150
AL040-2	AL040H, AL040HW, 7520-151, AL040P, AL040DX, AL040GA, AL040IPS, AL040I, AL040DXT	5+5	60x22	30x30	27x27	150
AL060-2	AL060HW, 7524-151, 7524-157, AL060H, AL060P, AL060DX, AL060GA, AL060IPS	6+6	60x22	30x30	27x27	150

CERTIFICATE

No. Z1 001415 0038 Rev. 00

Series 7

Product code	Derivative code	Type	Uprights section [mm]	Rung/step external section [mm]	Rung/step internal section [mm]	Max Load each rung/step [Kg]
AL065	/	4+4	73x26	30x30	27x27	150
AL070	/	5+5	73x26	30x30	27x27	150
AL075	/	6+6	73x26	30x30	27x27	150

Type: 3+3, 4+4, 4+5, 5+5, 6+6
 Uprights section large elements [mm] : 60x22, 73x26
 Rung/Step internal section [mm]: 27x27
 Rung/Step external section [mm]: 30x30
 Minimum Thickness Stile [mm]: 1,25
 Max Load for each rung/step: 150 [Kg]

Material: Extruded and Electro-welded aluminium alloy EN-AW-6063.

Tested according to: French Decree 96-333:1996
 EN 131-1:2019
 EN 131-2:2010/A2:2017
 EN 131-3:2018
 EN 131-4:2020
 EK5/AK1 17-04.2:2020

Production Facility(ies): 001415